

TECHNICAL INFORMATION

CEE-BEE PAINT STRIPPER E-1004JN

CEE-BEE PAINT STRIPPER E-1004J is a non-toxic, inhomogeneous, acid activated stripper for polyurethane and other paint systems.

APPROVALS

AMS 1376 B
MIL-R-81903 A (AS)
AIMS 9.0003
Boeing D 6 - 17487 REV. N
(außer Magnesium)
Boeing DPM 5619

KLM Engineering
Continental Airlines
BAE Systems AVN 4-004
Lufthansa Technik AG
British Aerospace AVP 3-006
AIRBUS INDUSTRIE CML 12-014a

BENEFITS

- Contains no halogenated solvents, phenol, heavy metals or other toxic materials.
- Thixotropic - Clings to vertical, inclined and overhead surfaces.
- Low odour level.
- Safe on aircraft structural metals, including stainless steel, aluminium and titanium.

USE PROCEDURES

The surface to be stripped should be thoroughly clean and free from water.

1. Spray on a light coat of stripper using a high pressure 10:1 air activated pump equipped with a ½" I.D. high pressure hose and a spray wand with a fan-type spray nozzle. It is important to use the correct type of spray nozzle for this application.
2. Keep the surface wet with stripper until the paint buckles.
3. When the paint is lifted (one hour to overnight for tough coatings), brush the surface thoroughly to remove the loosened paint.
4. Reapply stripper as required to loosen any remaining paint.
5. When all of the paint has been lifted, use a brush or squeegee to remove the loosened paint and residual stripper.
6. For best results, apply a mild alkaline cleaning solution (Super Bee 300LF) to effectively remove paint and stripper residue.
7. Thoroughly rinse the surface with high pressure water.



PROPERTIES

Thick, creamy, acidic,
inhomogeneous white liquid.
No flash point.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS YOU MUST BECOME COMPLETELY FAMILIAR WITH THE SAFETY AND HAZARD INFORMATION CONTAINED IN OUR MATERIAL SAFETY DATA SHEETS.

Article No. 151020

PG 15.1

Bitte beachten Sie auch das Sicherheitsdatenblatt
15.05.2008

sicher zuverlässig umweltorientiert

rhoba - chemie GmbH
Tel. 0049 521 4 17 17 4
E Mail: info@rhoba-chemie.com

D-33698 Bielefeld, Box 51 20 82
Fax 0049 521 4 17 17 69
www.rhoba-chemie.com

